

## IN THE CLAIMS

1. (ORIGINAL) A method comprising:  
transmitting at least a part of one or more mote-addressed content indexes.
2. (ORIGINAL) The method of claim 1, wherein said transmitting at least a part of one or more mote-addressed content indexes further comprises:  
transmitting at least a part of at least one of a mote-addressed sensing index or a mote-addressed control index.
3. (ORIGINAL) The method of claim 1, wherein said transmitting at least a part of one or more mote-addressed content indexes further comprises:  
transmitting at least a part of a mote-addressed routing/spatial index.
4. (ORIGINAL) The method of claim 1, wherein said transmitting at least a part of one or more mote-addressed content indexes further comprises:  
effecting the transmitting with a reporting entity at a mote.
5. (ORIGINAL) The method of claim 1, wherein said transmitting at least a part of one or more mote-addressed content indexes further comprises:  
effecting the transmitting in response to a schedule.
6. (ORIGINAL) The method of claim 5, wherein said effecting the transmitting in response to a schedule further comprises:  
receiving the schedule.
7. (ORIGINAL) The method of claim 5, wherein the effecting the transmitting in response to a schedule further comprises:  
deriving the schedule.

8. (ORIGINAL) The method of claim 5, wherein the effecting the transmitting in response to a schedule further comprises:

deriving the schedule at least in part from at least one of an optimized query or a stored query.

9. (ORIGINAL) The method of claim 1, wherein said transmitting at least a part of one or more mote-addressed content indexes further comprises:

effecting the transmitting in response to a query.

10. (ORIGINAL) The method of claim 1, wherein said transmitting at least a part of one or more mote-addressed content indexes further comprises:

encrypting utilizing at least one of a private or a public key.

11. (ORIGINAL) The method of claim 1, wherein said transmitting at least a part of one or more mote-addressed content indexes further comprises:

decoding at least a part of one or more mote-addressed content indexes utilizing at least one of a public key or a private key.

12. (ORIGINAL) A system comprising:

means for transmitting at least a part of one or more mote-addressed content indexes.

13. (ORIGINAL) The system of claim 12, wherein said means for transmitting at least a part of one or more mote-addressed content indexes further comprises:

means for transmitting at least a part of at least one of a mote-addressed sensing index or a mote-addressed control index.

14. (ORIGINAL) The system of claim 12, wherein said means for means for transmitting at least a part of one or more mote-addressed content indexes further comprises:

means for transmitting at least a part of a mote-addressed routing/spatial index.

15. (ORIGINAL) The system of claim 12, wherein said means for transmitting at least a part of one or more mote-addressed content indexes further comprises:

means for effecting the transmitting with a reporting entity at a mote.

16. (ORIGINAL) The system of claim 12, wherein said means for transmitting at least a part of one or more mote-addressed content indexes further comprises:

means for effecting the transmitting in response to a schedule.

17. (ORIGINAL) The system of claim 16, wherein the means for effecting the transmitting in response to a schedule further comprises:

means for receiving the schedule.

18. (ORIGINAL) The system of claim 16, wherein the means for effecting the transmitting in response to a schedule further comprises:

means for deriving the schedule.

19. (ORIGINAL) The system of claim 16, wherein the means for effecting the transmitting in response to a schedule further comprises:

means for deriving the schedule at least in part from at least one of an optimized query or a stored query.

20. (ORIGINAL) The system of claim 12, wherein said means for transmitting at least a part of one or more mote-addressed content indexes further comprises:

means for effecting the transmitting in response to a query.

21. (ORIGINAL) The system of claim 12, wherein said means for transmitting at least a part of one or more mote-addressed content indexes further comprises:

means for encrypting utilizing at least one of a private or a public key.

22. (ORIGINAL) The system of claim 12, wherein said means for transmitting at least a part of one or more mote-addressed content indexes further comprises:

means for decoding at least a part of one or more mote-addressed content indexes utilizing at least one of a public key or a private key.

23. (ORIGINAL) A system comprising:  
a mote; and  
means for transmitting at least a part of one or more mote-addressed content indexes, said  
means for transmitting proximate to a portion of said mote.

24. (ORIGINAL) A system comprising:  
at least one mote-addressed content index having at least one of a sensing index,  
a control index, or a routing/spatial index of a mote-appropriate device of a mote; and  
at least one reporting entity resident on the mote, said at least one reporting entity configured  
to report at least a part of said at least one mote-addressed content index.

25. (ORIGINAL) The system of claim 24, wherein said at least one reporting entity resident on  
the mote further comprises:  
a processor configured to transmit at least a part of said at least one mote-addressed content  
index.

26. (ORIGINAL) The system of claim 24, wherein the mote comprises:  
at least one of a processor, a memory, or a communications device formed from a substrate.